WHAT IS CLAIMED IS:

- 1. An earring, comprising:
- a first leg having a first end and a second end; and

a second leg having a first end and a second end, the legs being connected together so as to be pivotable relative to one another between an open position and a closed position in a scissor-like fashion, each of the legs in a region of the second end being shaped to cooperatively form a structural closed path in the closed position.

- 2. The earring according to claim 1, wherein one of the legs forms a larger portion of the closed path than the other of the legs.
- 3. The earring according to claim 1, wherein the second end of one of the legs has a pin extending therefrom and the second end of the other leg has an opening into which the pin fits in the closed position.
- 4. The earring according to claim 1, wherein the closed path is substantially circular.
- 5. The earring according to claim 1, wherein the second end of one of the legs has a circular cross-section and the second end of the other leg has an edge shaped to conform to a portion of an outer surface in a region of the second end of the one leg so that in the closed position the second ends of the legs overlap and contact one another.
- 6. The earring according to claim 1, wherein the legs are made of a stamped material.

- 7. The earring according to claim 1, wherein the legs are made of a cast material.
- 8. The earring according to claim 1, wherein one of the legs has a laterally projecting post at the first end and the other of the legs has a through-opening in the first end that accommodates the post in the closed position.
- 9. The earring according to claim 8, wherein the post has a distal end with an angled surface for sliding engagement with an edge of the through-opening in the other leg to facilitate entry of the post into the through-opening.
- 10. The earring according to claim 9, wherein the post has a notch that engages with an edge of the through-opening in the closed position.
- 11. The earring according to claim 1, and further comprising a pendant element suspended from the structural closed path.
- 12. The earring according to claim 3, wherein the pin is at the second end of the first leg and the opening is at the second end of the second leg.
- 13. The earring according to claim 12, wherein the first leg has a laterally projecting post at the first end and the second leg has a through-opening in the first end that accommodates the post in the closed position.
- 14. The earring according to claim 5, wherein the second leg has the circular cross-section at the second end and the first leg has the shaped edge at the second end.

- 15. The earring according to claim 14, wherein the first leg has a laterally projecting post at the first end and the second leg has a through-opening in the first end that accommodates the post in the closed position.
- 16. The earring according to claim 1, wherein the first leg has a through opening through which the second leg passes and including a pivot that engages both legs at the location of the through-opening to enable the legs to pivot relative to one another.
- 17. The earring according to claim 1, wherein the first leg terminates in a dual spaced prongs defining an opening in which a distal end of the second prong is receivable.